





令和6年度水稻調査結果

		穂付時		2週間後		1ヵ月後		6月中旬		7月初め		7月中旬		幼穂形成期		出穂10日前		穂揃期		成熟期	
調査日	1	R 6	慣行	5/10	5/27			6/19	7/1			7/7	7/23	8/12							
			全組織	5/11	5/27	6/9	6/19	7/1			7/7	7/23	8/12								
		R 5	慣行	5/13	5/29	6/5	6/17	7/4			7/9	7/23	8/10	9/7							
		平年値	慣行	5/13	5/26	6/6	6/16	7/5			7/10	7/23	8/7	9/7							
		組織名	慣行	穂付時	2週間後	1ヵ月後	6月中旬	7月初め	7月中旬	幼穂形成期	出穂10日前	穂揃期	成熟期								
2	草丈 (cm)	塔尾宮農組合		11.9								60.9		105.9							
		(農) 細野鉢伏農産		15.3	19.8							59.0									
3	草丈 (cm)	R 6	慣行		11.9							60.9		105.9							
			全組織		13.6	19.8					59.9		105.9								
		R 5	慣行		23.1	26.1					65.1		96.5								
		平年値	慣行		20.8	25.4					63.9		101.3								
		組織名	慣行	穂付時	2週間後	1ヵ月後	6月中旬	7月初め	7月中旬	幼穂形成期	出穂10日前	穂揃期	成熟期								
4	茎数 (株当)	塔尾宮農組合		3.7	4.1							33.1									
		(農) 細野鉢伏農産	3.9	3.9	12.4						23.4						17.1	17.1			
5	茎数 (株当)	R 6	慣行	3.7	4.1							33.1									
			全組織	3.8	4.0	12.4					28.3				17.1	17.1					
		R 5	慣行	4.3	5.7	11.7					25.0			20.3	20.3						
		平年値	慣行	3.8	5.5	11.5					26.6			20.7	21.3						
		目標	なんと	3 ⁴		17.0	20.2	33.0			27.4			21.2							
6	茎数 (㎡当)	組織名	慣行	穂付時	2週間後	1ヵ月後	6月中旬	7月初め	7月中旬	幼穂形成期	出穂10日前	穂揃期	成熟期								
		塔尾宮農組合		73	81						657										
		(農) 細野鉢伏農産	82	82	261						493		360	360							
7	茎数 (㎡当)	R 6	慣行	73	81						657										
			全組織	77	82	261					575		360	360							
		R 5	慣行	96	126	259					554		450	450							
		平年値	慣行	77	111	242					548		417	433							
		目標	なんと	74		360	430	700			580		450								
8	群落葉色	組織名	慣行	穂付時	2週間後	1ヵ月後	6月中旬	7月初め	7月中旬	幼穂形成期	出穂10日前	穂揃期	成熟期								
		塔尾宮農組合					4.2	4.3		4.4	4.1	4.3									
		(農) 細野鉢伏農産				4.3	4.2	4.2		4.1	3.9	4.3									
9	群落葉色	R 6	慣行				4.2	4.3		4.4	4.1	4.3									
			全組織			4.3	4.2	4.3		4.3	4.0	4.3									
		R 5	慣行			4.3		4.3		4.0	4.2	4.4									
		平年値	慣行			4.4	4.6	4.2		4.2	4.2	4.4									
		目標	なんと								4.0以上	4.3	4.5								




黒字を慣行として平均

今後の管理													調査次回	
	6	組織名	慣行	2週間後	1ヵ月後	6月中旬	7月初め	7月中旬	幼穂形成期	出穂10日前	穂揃期	成熟期	18	
葉齢	調査状況等	塔尾営農組合		2.8	5.1		9.9	12.2		12.7		15.5		
		(農) 細野鉢伏農産		2.4	4.6	7.1	9.1	11.2		12.2				
		R 6	慣行	2.8	5.1		9.9	12.2		12.7		15.5		
			全組織	2.6	4.9	7.1	9.5	11.7		12.5		15.5		
7	調査状況等	R 5	慣行	2.4	5.0	6.5	9.2	12.0		12.5		14.7		
		平年値	慣行	2.8	5.2	7.3	9.4	12.3		12.8		14.7		
		組織名	特徴	調査主体	慣行	1ヵ月後	幼穂形成期	出穂10日前	穂揃期	成熟期	抜き株	坪刈り	採取日	指摘事項
8	水管理看板	塔尾営農組合	一般	生産者	慣行		○	○	○		○	○	9/16	成熟期の穂数データ無い
		(農) 細野鉢伏農産	一般	生産者	慣行	○	○	○						サンプル提出無い
9	足跡深さ	組織名	中干し前	中干し完了	中干し完了	幼穂形成期								
		塔尾営農組合				7								
		(農) 細野鉢伏農産				0								
10	生育時期	組織名	田植日	幼穂形成期	～	出穂期	～	成熟期						
		塔尾営農組合	5/10	7/13	23	8/5	44	9/18						
		(農) 細野鉢伏農産	5/12	7/18	21	8/8	41	9/18						
		R 6	慣行	5/10	7/13	23	8/5	44	9/18					
11	田植状況		全組織	5/11	7/16	22	8/7	42	9/18					
		R 5	慣行	5/11	7/14	21	8/4	38	9/11					
		平年値	慣行	5/8	7/13	23	8/5	45	9/19					
		組織名	播種7/31取	栽植密度	植付本数	植付深さ	苗丈	第一葉期長	葉齢					
12	田植状況	塔尾営農組合	g/箱	株/m ²	本/株	cm	cm	cm	cm					
		(農) 細野鉢伏農産	180.0	21.1	3.9	3.9	12.1	3.4	2.5					
		R 6	慣行	19.9	3.7	3.4	12.4	3.7	2.5					
			全組織	180.0	20.5	3.8	3.6	12.3	3.6	2.4				
13	田植状況	R 5	慣行	22.2	4.4	4.1	15.2	4.0	2.4					
		平年値	慣行	20.3	4.0	3.4	13.3	3.4	2.8					
		目標	なんと	140	21.2	3 ⁴	3.0	12 ¹³	3.5	2.5				


※ ○ は予想

移植	てんこもり	成熟期
----	-------	-----


12	組織名	全重	ワラ重	籾重	籾ワラ比	粗立米重	精立米重	用米重	籾ワラ割合	
		kg/10a	kg/10a	kg/10a		kg/10a	kg/10a	kg/10a	%	
	塔尾宮農組合	1966	876	1015	1.2	832	760	73	74.8	
収量調査	(農) 細野鉢伏農産									
	R 6	慣行	1966	876	1015	1.2	832	760	73	74.8
	R 5	全組織	1966	876	1015	1.2	832	760	73	74.8
	慣行	1614	830	735	0.9	601	592	8	80.6	
平成値	慣行	1544	743	752	1.0	632	587	45	78.1	



13	組織名		㎡当穗数	1穗粒数	㎡当粒数	登熟歩合	千粒重	理論収量
			本/㎡	粒/穗	百粒/㎡	%	g	kg/10a
	塔尾宮農組合			110		85.7	22.0	
	(農) 細野鉢伏農産 360							
14	R 6	慣行		110		85.7	22.0	
		全組織	360	110		85.7	22.0	
	R 5	慣行	450	68	304	86.8	21.7	575
	平年値	慣行	433	77	327	80.8	22.1	584
	日標	ハムシ	450	70	315	85.0	22.5	600




粒厚分布(%)	組織名	2.2mm以上	2.2~2.1	2.1~2.0	2.0~1.9	1.9~1.85	1.85~1.8	1.8~1.7	1.7mm以下	合計	1.9mm以上	1.85mm以下
	塔尾宮農組合	1.1	12.6	54.5	23.1	4.0	1.3	1.6	1.9	100	91.3	95.2
	(農) 細野鉢伏農産											
R 6	慣行	1.1	12.6	54.5	23.1	4.0	1.3	1.6	1.9	100	91.3	95.2
	全組織	1.1	12.6	54.5	23.1	4.0	1.3	1.6	1.9	100	91.3	95.2
R 5	慣行	9.2	50.5	32.9	6.0	0.5	0.3	0.3	0.3	100	98.6	99.1
	平年値	3.1	22.4	45.3	22.8	2.7	1.3	1.3	1.1	100	93.0	96.6



黒字を慣行として平均

節間長・葉身長等	15	組織名		徳長	第1節間	第2節間	第3節間	第4節間	第5節間	第6節間	合計	葉身長1	葉身長2	葉身長3	倒伏割合(%)				倒伏率
			cm	cm	cm	cm	cm	cm	cm	cm	cm	cm	cm	cm	少	中	多	甚	%
		塔尾富農組合	18.1	40.3	20.5	14.1	7.9	3.3	0.0	86.1									
		(農)細野鉢伏農産																	
	R 6	慣行	18.1	40.3	20.5	14.1	7.9	3.3	0.0	86.1									
		全組織	18.1	40.3	20.5	14.1	7.9	3.3	0.0	86.1									
	R 5	慣行	18.2	35.7	17.8	10.8	6.9	1.6	0.1	72.9	26.1	38.4	38.3						
	平成27年値	慣行	19.2	36.1	18.9	12.7	8.0	2.4	0.0	78.1	27.5	37.4	40.5						



外観品質・食味等	16	組織名		整粒	乳白粒	青未熟	基部	腹白	他未計	発芽粒	胴割粒	奇形粒	茶米	斑点粒	タンパク	粒長	粒幅
				%	%	%	%	%	%	%	%	%	%	%	%	mm	mm
		塔尾富農組合	78.4	0.4	3.2	0.3	0.1	16.5	0.0	0.3	0.2	0.2	0.0	6.3	5.19	2.94	
		(農)細野鉢伏農産															
	R 6	慣行	78.4	0.4	3.2	0.3	0.1	16.5	0.0	0.3	0.2	0.2	0.0	6.3	5.19	2.94	
		全組織	78.4	0.4	3.2	0.3	0.1	16.5	0.0	0.3	0.2	0.2	0.0	6.3	5.19	2.94	
	R 5	慣行	79.3	0.5	0.7	0.3	0.4	16.9	0.1	1.3	0.3	0.2	0.0	6.0	5.14	2.86	
		平成28年産	89.8	0.6	2.3	0.3	0.4	10.7	0.0	0.6	0.1	0.1	0.2	6.4	5.12	3.01	